Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 69

Ahnfelt, N.-O. See Engqvist, H., 94
Anderegg, J. See Shabalovskaya, S., 223
Anderson, G. I. See MacQuarrie, R. A., 104
Atsuta, M. See Baba, N., 121
Azad, A. K.
—; Sermsinthem, N.; Chandrkrachang, S.; Stevens, W. F.: Chitosan membrane as a wound-healing dressing: Characterization and clinical application, 216

Baba, N.
—; Watanabe, I.; Liu, J.; Atsuta, M.: Mechanical strength of laser-welded cobalt-chromium alloy, 121
Balan, J. See Yang, C., 18
Bernard, J. P. See Szmukler-Moncler, S., 46
Bouillaguet, S. See Wataha, J. C., 11
Busscher, H. J. See Magetsari, R., 249

Calonius, O. See Saikko, V., 141
Candelária Genari, S. See la Luz Moreira, P., 38
Carrera, A. See García Páez, J. M., 125
Castillo-Olivares, J. L. See García Páez, J. M., 125
Chandrkrachang, S. See Azad, A. K., 216
Chappard, D. See Massin, P., 205
Chen, J. See Liu, C., 73
Chen, Y. F. See MacQuarrie, R. A., 104
Cheng, K.
—; Weng, W.; Qu, H.; Du, P.; Shen, G.; Han, G.; Yang, J.; Ferreira, J. M. F.: Sol-gel preparation and *In Vitro* test of fluorapatite/hydroxyapatite films, 33
Cheung, K. M. C. See Zhao, F., 79
Clarke, I. C. See Manaka, M., 149
Coles, C. See MacQuarrie, R. A., 104
Corbett, J. T. See Shalaby, W. S. W., 173
Cordon, A. See García Páez, J. M., 125
Cristofolini, L. See Waide, V., 232
Cul, F. Z. See Liao, S. S., 158

da Luz Moreira, P.
—; Marreco, P. R.; Moraes, A. M.; Furlan Wada, M. L.; Candelária, Genari, S.: Analysis of cellular morphology, adhesion, and proliferation on uncoated and differently coated PVC tubes used in extracorporeal circulation (ECC), 38
de Bruijn, J. D. See Kruyt, M. C., 113
Dhert, W. J. A. See Kruyt, M. C., 113
Du, P. See Cheng, K., 33

Eberhart, R. C. See Zilberman, M., 1
Engqvist, H.
—; Lööf, J.; Upperström, S.; Phaneuf, M. W.; Jonsson, J. C.; Hermansson, L.; Ahnfelt, N.-O.: Transmittance of a bioceramic dental resorative material based on calcium aluminate, 94

Fano, L.
—; Fano, V.; Ma, W.; Wang, X.; Zhu, F.: Hydrolytic degradation and cracks in resin-modified glass-ionomer cements, 87
Fano, V. See Fano, L., 87
Feng, Q. L. See Liao, S. S., 158
Ferreira, J. M. F. See Cheng, K., 33
Flautre, B. See Massin, P., 205
Frankenberger, R.
—; Strobel, W. O.; Lohbauer, U.; Krämer, N.; Petschelt, A.: The effect of six years of water storage on resin composite bonding to human dentin, 25
Furlan Wada, M. L. See la Luz Moreira, P., 38
Furukawa, A. See Sutou, Y., 64

García Páez, J. M.
—; Carrera, A.; Jorge, E.; Millán, I.; Cordon, A.; Maestro, M. A.; Rocha, A.; Castillo-Olivarea, J. L.: Resistance to tearing of calf and ostrich pericardium: Influence of the type of suture material and the direction of the suture line, 125
Gomathi, K. See Rafiuddin Ahmed, M., 241
Gomes, K. See Thomas, J., 135
Gopinath, D. See Rafiuddin Ahmed, M., 241
Gray, H. See Shalaby, W. S. W., 173
Gustafson, A. See Manaka, M., 149

Han, G. See Cheng, K., 33
Hardouin, P. See Massin, P., 205
Hermansson, L. See Engqvist, H., 94
Hillas, P. See Yang, C., 18
Hilmy, C. R. See Magetsari, R., 249
Huang, X.
—; Jiang, D.; Tan, S.: Apatite formation on the surface of wollastonite/tricalcium phosphate composite immersed in simulated body fluid, 70
Hunag, Y. See Liu, C., 73

Imakiire, A. See Manaka, M., 149
Ishida, K. See Sutou, Y., 64
Ishikawa, K. See Momota, Y., 99; Takechi, M., 58

Jayakumar, R. See Rafiuddin Ahmed, M., 241
Jiang, D. See Huang, X., 70
Jonsson, J. C. See Engqvist, H., 94
Jorge, E. See García Páez, J. M., 125
June, C. H. See Shalaby, W. S. W., 173

Kainuma, R. See Sutou, Y., 64
Keränen, J. See Saikko, V., 141
Kim, K.-N. See Oh, K.-T., 183
Kim, Y.-S. See Oh, K.-T., 183
Krämer, N. See Frankenberger, R., 25
Kruyt, M. C.
—; Dhert, W. J. A.; Oner, C.; van Blitterswijt, C. A.; Verbout, A. J.; de Bruijn, J. D.: Optimization of bone-tissue engineering in goats, 113

Lawn, B. See Zhang, Y., 166
Leong, J. C. Y. See Zhao, F., 79
Lewis, J. B. See Wataha, J. C., 11
Liao, S. S.
—; Cul, F. Z.; Zhang, W.; Feng, Q. L.: Hierarchically biometric bone scaffold materials: Nano-HA/collagen/PLA composite, 158
Liu, C.
—; Huang, Y.; Chen, J.: The physicochemical properties of the solidification of calcium phosphate cement, 73
Liu, J. See Baba, N., 121
Lockwood, K. R. See Wataha, J. C., 11
Lohbauer, U. See Frankenberger, R., 25
Lööf, J. See Engqvist, H., 94
Lowman, A. See Thomas, J., 135
Lu, W. W. See Zhao, F., 79
Luk, K. D. K. See Zhao, F., 79

Ma, W. See Fano, L., 87
MacQuarrie, R. A.
—; Chen, Y. F.; Coles, C.; Anderson, G. I.: Wear-particle-induced osteoclast osteolysis: The role of particulates and mechanical strain, 104
Maestro, M. A. See García Páez, J.M., 125
Magetsari, R.
—; Hilmy, C. R.; van Horn, J. R.; Busscher, H. J.; Verkerke, G. J.; van der Mel, H. C.; Use and reuse of orthopedic implants in developing countries, 249
Manaka, M.
—; Calrke, I. C.; Yamamoto, K.; Shishido, T.; Gustafson, A.; Imakiire, A.: Stripe wear rates in alumina THR-comparison of microseparation simulator study with retrieved implants, 149

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 69

Ahnfelt, N.-O. See Engqvist, H., 94
Anderegg, J. See Shabalovskaya, S., 223
Anderson, G. I. See MacQuarrie, R. A., 104
Atsuta, M. See Baba, N., 121
Azad, A. K.
—; Sermsinthem, N.; Chandrkrachang, S.; Stevens, W. F.: Chitosan membrane as a wound-healing dressing: Characterization and clinical application, 216

Baba, N.
—; Watanabe, I.; Liu, J.; Atsuta, M.: Mechanical strength of laser-welded cobalt-chromium alloy, 121
Balan, J. See Yang, C., 18
Bernard, J. P. See Szmukler-Moncler, S., 46
Bouillaguet, S. See Wataha, J. C., 11
Busscher, H. J. See Magetsari, R., 249

Calonius, O. See Saikko, V., 141
Candelária Genari, S. See la Luz Moreira, P., 38
Carrera, A. See García Páez, J. M., 125
Castillo-Olivares, J. L. See García Páez, J. M., 125
Chandrkrachang, S. See Azad, A. K., 216
Chappard, D. See Massin, P., 205
Chen, J. See Liu, C., 73
Chen, Y. F. See MacQuarrie, R. A., 104
Cheng, K.
—; Weng, W.; Qu, H.; Du, P.; Shen, G.; Han, G.; Yang, J.; Ferreira, J. M. F.: Sol-gel preparation and *In Vitro* test of fluorapatite/hydroxyapatite films, 33
Cheung, K. M. C. See Zhao, F., 79
Clarke, I. C. See Manaka, M., 149
Coles, C. See MacQuarrie, R. A., 104
Corbett, J. T. See Shalaby, W. S. W., 173
Cordon, A. See García Páez, J. M., 125
Cristofolini, L. See Waide, V., 232
Cul, F. Z. See Liao, S. S., 158

da Luz Moreira, P.
—; Marreco, P. R.; Moraes, A. M.; Furlan Wada, M. L.; Candelária, Genari, S.: Analysis of cellular morphology, adhesion, and proliferation on uncoated and differently coated PVC tubes used in extracorporeal circulation (ECC), 38
de Bruijn, J. D. See Kruyt, M. C., 113
Dhert, W. J. A. See Kruyt, M. C., 113
Du, P. See Cheng, K., 33

Eberhart, R. C. See Zilberman, M., 1
Engqvist, H.
—; Lööf, J.; Upperström, S.; Phaneuf, M. W.; Jonsson, J. C.; Hermansson, L.; Ahnfelt, N.-O.: Transmittance of a bioceramic dental resorative material based on calcium aluminate, 94

Fano, L.
—; Fano, V.; Ma, W.; Wang, X.; Zhu, F.: Hydrolytic degradation and cracks in resin-modified glass-ionomer cements, 87
Fano, V. See Fano, L., 87
Feng, Q. L. See Liao, S. S., 158
Ferreira, J. M. F. See Cheng, K., 33
Flautre, B. See Massin, P., 205
Frankenberger, R.
—; Strobel, W. O.; Lohbauer, U.; Krämer, N.; Petschelt, A.: The effect of six years of water storage on resin composite bonding to human dentin, 25
Furlan Wada, M. L. See la Luz Moreira, P., 38
Furukawa, A. See Sutou, Y., 64

García Páez, J. M.
—; Carrera, A.; Jorge, E.; Millán, I.; Cordon, A.; Maestro, M. A.; Rocha, A.; Castillo-Olivarea, J. L.: Resistance to tearing of calf and ostrich pericardium: Influence of the type of suture material and the direction of the suture line, 125
Gomathi, K. See Rafiuddin Ahmed, M., 241
Gomes, K. See Thomas, J., 135
Gopinath, D. See Rafiuddin Ahmed, M., 241
Gray, H. See Shalaby, W. S. W., 173
Gustafson, A. See Manaka, M., 149

Han, G. See Cheng, K., 33
Hardouin, P. See Massin, P., 205
Hermansson, L. See Engqvist, H., 94
Hillas, P. See Yang, C., 18
Hilmy, C. R. See Magetsari, R., 249
Huang, X.
—; Jiang, D.; Tan, S.: Apatite formation on the surface of wollastonite/tricalcium phosphate composite immersed in simulated body fluid, 70
Hunag, Y. See Liu, C., 73

Imakiire, A. See Manaka, M., 149
Ishida, K. See Sutou, Y., 64
Ishikawa, K. See Momota, Y., 99; Takechi, M., 58

Jayakumar, R. See Rafiuddin Ahmed, M., 241
Jiang, D. See Huang, X., 70
Jonsson, J. C. See Engqvist, H., 94
Jorge, E. See García Páez, J. M., 125
June, C. H. See Shalaby, W. S. W., 173

Kainuma, R. See Sutou, Y., 64
Keränen, J. See Saikko, V., 141
Kim, K.-N. See Oh, K.-T., 183
Kim, Y.-S. See Oh, K.-T., 183
Krämer, N. See Frankenberger, R., 25
Kruyt, M. C.
—; Dhert, W. J. A.; Oner, C.; van Blitterswijt, C. A.; Verbout, A. J.; de Bruijn, J. D.: Optimization of bone-tissue engineering in goats, 113

Lawn, B. See Zhang, Y., 166
Leong, J. C. Y. See Zhao, F., 79
Lewis, J. B. See Wataha, J. C., 11
Liao, S. S.
—; Cul, F. Z.; Zhang, W.; Feng, Q. L.: Hierarchically biometric bone scaffold materials: Nano-HA/collagen/PLA composite, 158
Liu, C.
—; Huang, Y.; Chen, J.: The physicochemical properties of the solidification of calcium phosphate cement, 73
Liu, J. See Baba, N., 121
Lockwood, K. R. See Wataha, J. C., 11
Lohbauer, U. See Frankenberger, R., 25
Lööf, J. See Engqvist, H., 94
Lowman, A. See Thomas, J., 135
Lu, W. W. See Zhao, F., 79
Luk, K. D. K. See Zhao, F., 79

Ma, W. See Fano, L., 87
MacQuarrie, R. A.
—; Chen, Y. F.; Coles, C.; Anderson, G. I.: Wear-particle-induced osteoclast osteolysis: The role of particulates and mechanical strain, 104
Maestro, M. A. See García Páez, J.M., 125
Magetsari, R.
—; Hilmy, C. R.; van Horn, J. R.; Busscher, H. J.; Verkerke, G. J.; van der Mel, H. C.; Use and reuse of orthopedic implants in developing countries, 249
Manaka, M.
—; Calrke, I. C.; Yamamoto, K.; Shishido, T.; Gustafson, A.; Imakiire, A.: Stripe wear rates in alumina THR-comparison of microseparation simulator study with retrieved implants, 149

Marcolongo, M. See Thomas, J., 135
Marreco, P. R. See la Luz Moreira, P., 38
Massin, P.
—; Chappard, D.; Flautre, B.; Hardouin, P.: Migration of polyethylene particles around nonloosened cemented femoral components from a total hip arthroplasty–an autopsy study, 205
McLaren, C. I. See Rasmussen, S. T., 195
Messer, R. L. W. See Wataha, J. C., 11
Millán, I. See García Páez, J. M., 125
Miyamoto, Y. See Momota, Y., 99; Takechi, M., 58
Momota, Y.
—; Miyamoto, Y.; Ishikawa, K.; Takechi, M.; Yuasa, T.; Tatehara, S.; Nagayama, M.: Effects of neutral sodium hydrogen phosphate on the setting property and hemostatic ability of hydroxyapatite putty as a local hemostatic agent for bone, 99
—; See Takechi, M., 58
Moraes, A. M. See la Luz Moreira, P., 38

Nagayama, M. See Momota, Y., 99; Takechi, M., 58
Notbohm, H. See Yang, C., 18

O'Brien, W. J. See Rasmussen, S. T., 195
Oh, K.-T.
—; Kim, Y.-S.; Park, Y.-S.; Kim, K.-Y.: Properties of super stainless steels for orthodontics applications, 183
Omori, T. See Sutou, Y., 64
Oner, C. See Kruyt, M. C., 113

Park, Y.-S. See Oh, K.-N., 183
Petschelt, A. See Frankenberger, R., 25
Phaneuf, M. W. See Engqvist, H., 94
Polarek, J. See Yang, C., 18

Qu, H. See Cheng, K., 33

Rafiuddin Ahmed, M.
—; Gopinath, D.; Gomathi, K.; Sehgal, P. K.; Jayakumar, J.: Alpha-crystallin-incorporated collagen matrices as an aid for dermal wound healing, 241
Rasmussen, S. T.
—; McLaren, C. I.; O'Brien, W. J.: The effect of cesium-containing leucite additions on the thermal and mechanical properties of two leucite-based porcelains, 195
Rocha, A. See García Páez, J.M., 125
Rondelli, G. See Shabalovskaya, S., 223

Saikko, V.
—; Calonius, O.; Keränen, J.: Effect of slide track shape on the wear of ultra-high molecular weight polyethylene in a pin-on-disk wear simulation of total hip prosthesis, 141
Schwade, N. D. See Zilberman, M., 1
Sehgal, P. K. See Rafiuddin Ahmed, M., 241
Sermsintham, N. See Azad, A. K., 216
Shabalovskaya, S.
—; Rondelli, G.; Anderegg, J.; Xiong, J. P.; Wu, M.: Comparative corrosion performance of black oxide, sandblasted, and fine-drawn nitinol wires in potentiodynamic and potentiostatic tests: Effects of chemical etching and elctropolishing, 223
Shalaby, S. W. See Shalaby, W. S. W., 173
Shalaby, W. S. W.
—; Yeh, H.; Woo, E.; Corbett, J. T.; Gray, H.; June, C. H.; Shalaby, S. W.: Absorbable microparticulate cation exchanger for immunotherapeutic delivery, 173
Shen, G. See Cheng, K., 33
Shishido, T. See Manaka, M., 149
Sittel, C.
—; Polydimethylsiloxane particles are not experimental in the human larynx, 251
Stevens, W. F. See Azad, A. K., 216
Strobel, W. O. See Frankenberger, R., 25
Sutou, Y.
—; Omori, T.; Furukawa, A.; Takahashi, Y.; Kainuma, R.; Yamauchi, K.; Yamashita, S.; Ishida, K.: Development of medical guide wire of Cu-Al-Mn-base superelastic alloy with functionally graded characteristics, 64
Szmukler-Moncler, S.
—; Testori, T.; Bernard, J. P.: Etched implants: A comparative surface analysis of four implant systems, 46

Takahashi, Y. See Sutou, Y., 64
Takechi, M.
—; Miyamoto, Y.; Momota, Y.; Yuasa, T.; Tatehara, S.; Nagayama, M.; Ishikawa, K.: Effects of various sterilization methods on the setting and mechanical properties of apatite cement, 58
—; See Momota, Y., 99
Tan, S. See Huang, X., 70
Tang, J. See Yang, C., 18
Tatehara, S. See Momota, Y., 99; Takechi, M., 58
Testori, T. See Szmukler-Moncler, S., 46
Thomas, J.
—; Gomes, K.; Lowman, A.; Marcolongo, M.: The effect of dehydration history on PVA/PVP hydrogels for nucleus pulposus replacement, 135
Toni, A. See Waide, V., 232

Upperström, S. See Engqvist, H., 94

van Blitterswijt, C. A. See Kruyt, M. C., 113
van der Mel, H. C. See Magetsari, R., 249
van Horn, J. R. See Magetsari, R., 249
Verbout, A. J. See Kruyt, M. C., 113
Verkerke, G. J. See Magetsari, R., 249
Volkmann, K. R. See Wataha, J. C., 11

Waide, V.
—; Cristofolini, L.; Toni, A.: An experimental analogue to model the fibrous tissue layer in cemented hip replacements, 232
Wang, X. See Fano, L., 87
Wataha, J. C.
—; Lewis, J. B.; Volkmann, K. R.; Lockwood, P. E.; Messer, R. L. W.; Bouillaguet, S.: Sublethal concentrations of AU (III), Pd (II), and Ni(II) differentially alter inflammatory cytokine secretion from activated monocytes, 11
Watanabe, I. See Baba, N., 121
Weng, W. See Cheng, K., 33
Wong, C. T. See Zhao, F., 79
Woo, E. See Shalaby, W. S. W., 173
Wu, M. See Shabalovskaya, S., 223

Xiong, J. P. See Shabalovskaya, S., 223

Yamamoto, K. See Manaka, M., 149
Yamashita, S. See Sutou, Y., 64
Yamauchi, K. See Sutou, Y., 64
Yang, C.
—; Hillas, P.; Tang, J.; Balan, J.; Notbohm, H.; Polarek, J.: Development of a recombinant human collegan-type III baed hemosat, 18
Yang, J. See Cheng, K., 33
Yao, K. D. See Zhao, F., 79
Yeh, H. See Shalaby, W. S. W., 173
Yuasa, T. See Momota, Y., 99; Takechi, M., 58

Zhang, W. See Liao, S. S., 158
Zhang, Y.
—; Lawn, B.: Long-term strength of ceramics for biomedical applications, 166
Zhao, F.
—; Lu, W. W.; Luk, K. D. K.; Cheung, K. M. C.; Wong, C. T.; Leong, J. C. Y.; Yao, K. D.: Surface treament of injectable strontium-containing bioactive bone cement for vertebroplasty, 79
Zhu, F. See Fano, L., 87
Zilberman, M.
—; Schwade, N. D.; Eberhart, R. C.: Protein-loaded bioresorbable fibers and expandable stents: Mechanical properties and protein release, 1

Journal of Biomedical Materials Research (Applied Biomaterials) Subject Index—Volume 69

Absorbable polymers, 173
Acid etching, 46
Adhesives, 25
Albumin release, 1
α cyrstallin, 241
Alumina, 149
Anisotropy, 125
Antioxidant enzymes, 241
Apatite, 58
Apatite cement, 58
Apoptosis, 104
Aspect ratio, 141
ASTM F746 potentiostatic, 223

Bainitic transformation, 64
Bilayers, 166
Bioactive bone cement, 79
Biocompatibility, 183
Biodegradable, 158
Biomaterials, 249
Biomechanics, 79
Biometric, 158
Bioresorbable fibers, 1
Black oxide, 223
Bone, 113
Brittlle coatings, 166

Calcium aluminate, 94
Calcium phosphate cement, 73
Calcium-phosphate cement, 99
Calf pericardium, 125
Carck velocity, 166
Cardiac bioprostheses, 125
Cation exchanger, 173
Cell culture, 11, 158
Cells, 113
Cemented implants, 232
Ceramic, 149
Cesium, 195
Chemically etching, 223
Chitosan mesh membrane, 216
Chrysotherapy, 11
Clinical evaluation, 216
Cobalt-chronium alloy, 121
Collagen, 241
Composite femurs, 232
Composites, 70
Confocal fluorescent microscopy, 87
Corrosion resistance, 183, 223
Critical loads, 166
Cu-Al-Mn-based shape memory alloy, 64
Cytoxicity, 183

Degradation, 25
Dehydration/rehydration, 135
Dental crowns, 166
Dentin, 25
Differentiation, 104

Ectopic, 113
Electropolished surface, 223
Endoscopic, 135
Extracellular matrix, 113
Extracorpeal circulation, 38

Fibrous tissue layer, 232
Film, 33
Fluorapatite/hydroxyapatite, 33
Foreign body response, 205
Fracture, 166

Gamma, 58
Goats, 13
Gravimetric analysis, 87
Guide wire, 64

Hemosat, 18
Hemostatic agents, 99
Heparin, 38
High stiffness, 64
Hip replacement prosthesis, 205
Histopathology, 216
Human larynx, 251
Hydration, 73
Hydrogels, 135
Hydroxyapatite, 73
Hydroxyapatite putty, 99

IL1β, 11
IL6, 11
Immunotherapy, 173
Inclusions, 223
In situ porous structure, 70
In vitro evaluation, 33
In vitro simulations, 232

Joint strength, 121

Laser welding, 121
Leutic porcelain, 195
Lifetime, 166
Long-term hydrolytic degradation of resin-modified glass-ionomer cements, 87

Margin alaysis, 25
Mechanical properties, 1, 58
Mechanical strain, 104
Metal ion release, 183
Metals, 11
Methyl methacrylate (MMA), 79
Microcracks, 87
Microparticulate, 173
Microseparation, 149
Microstructure, 87
Monocytes, 11

Nanocomposite, 158
Nitinol wire, 223
Nucleus pulposus, 135

Opacity, 94
Orthodontic appliance, 183
Orthopedic implants, 249
Osseolite, 46
Osteoclast, 104
Osteolysis, 205
Ostrich pericardium, 125

Passive film, 183
Phosphatidylcholine, 38
Phosphatidylethanolamine, 38
Physicochemical property, 73
Pin-on-disk, 141
Platelet, 18
Poly (vinyl) chloride, 38
Poly(L-lactic acid), 1
Polydimethylsiloxine particles, 251
Polyethylene, 205
Polyethylene wear, 141
Polytetrafluoroethylene, 251
Potentiodynamic, 223
Protein adsorption, 173

Radiopacity, 94
Recombinant human collagen, 18

Resin composites, 25
Retrieval, 149

Sandblasting, 46, 223
Serum, 113
Setting reaction, 99
Silicone elastomer, 232
Simulated body fluid, 70
Simulator, 149
SLA, 46
Slide track, 141
Sol-gel process, 33
Solidification, 73
Stent, 1
Sterilization, 58
Strength, 195
Super stainless steels, 183
Superelasticity, 64
Surface treatment, 46, 79

Tearing, 125
Thermal expansion, 195
THR, 149
Tissue engineering, 113, 158
TNFα, 11
Total hip prosthesis, 141
Transformation toughening, 195
Transmitance, 94

Vertebroplasty, 79

Wear, 149
Wear debris, 205
Wear particles, 104
Welding methods, 121
Western world, 249
Wollastonite-tricalcium phosphate, 70
Wound, 18
Wound healing, 216, 241